

August 2025 ____ Mason Co Extension

Mason County mAGazine

A Monthly Agricultural Newsletter



IN THIS ISSUE:

Pregnancy Testing

Shared Use Equipment

Cattlemen's Meeting

East KY Hay Contest

Timely Tips

Program

Upcoming Programs

Germantown Fair Schedule

Important Dates

A NOTE FROM YOUR AGENT

Hello all,

Summer may be nearing its end, but things aren't slowing down. Fair season is upon us, and harvest time is just around the corner!

There will be a Mason County Cattlemen's meeting this month—details on how to RSVP can be found later in this newsletter. Sign-ups for the East KY Hay Contest are now open, so be sure to check it out! I'd love to come out for a farm visit and collect some hay samples.

We're also preparing for several exciting fall programs including a Cattle Pregnancy Testing Workshop, The Farm School for Women series, and the Barnyard Theater program focusing on the health of our farmers. Registration is also now open for the Master Cattlemen series in early 2026!

As always, don't hesitate to reach out if I can help with anything. Be sure to sign up for a program!

audrey Wright

Audrey Wright Agriculture and Natural Resources Agent Mason County Extension

00 US HIGHWAY 68 | MAYSVILLE KY 41056 | P. 606-564-6808 | AUDREY WRIGHT@UKY EDI



CHUTESIDE CATTLE College of Agriculture, Food and Environment PREGNANCY TESTING WORKSHOP

WHAT YOU WILL LEARN:

How utilizing on farm pregnancy tests can benefit your operation

Types of chuteside tests that are available to you

Hands on step by step instructions for using the tests







Dr. Les Anderson will lead some hands on demonstrations and discuss the importance of pregnancy checking your herd

SEPTEMBER 9, 2025

6:00 | 7580 TAYLOR MILL RD, MAYSVILLE, KY 41056

SCAN THE QR CODE OR CALL THE OFFICE AT (606)564-6808 TO REGISTER!

Cooperative Extension Service

griculture and Natural Resources amily and Consumer Sciences -H Youth Development ommunity and Economic Development REGISTER





FOLLOW OUR FACEBOOK!





Mason Co. Conservation District

SHARED-USE EQUIPMENT



GREAT PLAINS 1006NT DRILL

INLINE WRAPPER HYBRID X

For rental information, contact the district office (606)759-5570 Ext. 3



SUMMER MEETING

August 28th | 6:00 PM
Mason Co Extension Office



The Mason County Cattlemen's Association is calling on local producers and agricultural advocates to join its growing network of cattlemen and women who are working together to strengthen the future of agriculture in Mason County.

With a renewed focus on expanding its membership, the Association is emphasizing the vital role it plays in supporting local producers, promoting agricultural education, and building a stronger rural economy.

The Association offers a variety of benefits to its members. Each meeting includes a free meal, door prizes, and opportunities to hear from agricultural experts on topics ranging from market trends and research updates to local best practices. Members also receive timely industry updates through Cow Country News and enjoy valuable networking with producers, industry leaders, and specialists from across the region.

Educational presentations are a cornerstone of each meeting, focused specifically on the needs and interests of Mason County cattle producers. These sessions aim to equip members with tools and knowledge they can apply directly to their farming operations.

Anyone interested in learning more or becoming a member is encouraged to contact the Mason County Extension Office at (606)564-6808.



USE THE QR CODE OR CALL: (606) 564-6808 TO SIGN-UP

DEADLINE TO SIGN-UP IS 9/1/25

Cooperative Extension Service

Agriculture and Natural Resources Family and Consumer Sciences 4-H Youth Development MARTIN-GATTON COLLEGE OF AGRICULTURE, FOOD AND ENVIRONMENT

Educational programs of Kennocky Cooperative Extension serve all people regardless of economic or social status and all not discontinuous on the basis of race, color, each for origin, nuclear of right, reset, deligion, publical ballet sex, necessity of the contract of the color origin, reset, deligion, publical ballet sex, necessity of the color origin, reset, deligion, publical ballet sex, possible sex original sections of disability may be available with prior motics. Program information may be made available in languages other than English. University of Klemonicky, Kennocky Status University, Ki Enquesters of Agricultura or Restructive Counter. Cooperating color original sections and the color original sections of the sections of the color or th





HAY TESTING

The Mason County Extension Office now has a hay probe available to check out at the office to help producers collect hay samples for lab analysis.

WHY TEST YOUR FORAGE?

• Tested forages can mean higher profit, whether feeding cattle, horses, goats, sheep or other livestock. Knowing the nutritional value will help you minimize your cost and maximize your production.

• The analysis report, assists producers in balancing feed rations for their livestock. Each livestock species take a different energy level at different stages of their lives. A ration balance will help

maintain a healthy diet.

• Forage testing helps determine fair market value and establish

an equitable price for forage sales.

• Buying or Selling Hay: The Forage Testing Program maintains a list of Kentucky hay producers that have their hay tested through KDA. The service is offered throughout the state and the information may be viewed on this KDA "Forage Sales Directory/Tested Hay" webpage.

Contact me if you have any questions or to learn more about submitting samples for analysis!

If you would like to have samples taken for the East KY Hay contest, those samples will be taken later in the summer



TIMELY TIPS

DR. LES ANDERSON, BEEF EXTENSION PROFESSOR, UNIVERSITY OF KENTUCKY

Spring Calving Cows

- Fescue pastures don't generally produce much this month. Some of us have had some rain but the heat has punished our pastures and cattle this summer. Most of you may have some forage going into the usually dry months. Keep rotating pastures to permit calves to continue gaining weight. Always keep minerals available.
- Bulls should have been removed from the cow herd by the end of the month. They should be pastured away from the cow herd with a good fence and allowed to regain lost weight and condition. It is a good time to evaluate physical condition, especially feet and legs. Bulls can be given medical attention and still have plenty of time to recover, e.g., corns, abscesses, split hooves, etc. If removing the bull is not practical for you then call your herd veterinarian and schedule a pregnancy diagnosis. Market your "late-bred" cows and keep those that conceived early in the breeding season.
- Repair and improve corrals for fall working and weaning. Consider having an area to wean
 calves and retain ownership for postweaning feeding rather than selling "green", lightweight
 calves. Plan to participate in CPH-45 feeder calf sales in your area.

Fall Calving Cows

- Dry cows should be moved to better pastures as calving time approaches. Cows should start
 calving next month. Yearling heifers may begin "headstart" calving later this month. Plan to
 move cows to stockpiled fescue for the breeding season, so it will soon be time to apply nitrogen
 fertilizer.
- Prepare for the fall-calving season (usually September). Get ready, be sure you have the following:
 - record book
 - ear tags for identification
 - calf puller

General

- Perhaps the most tedious aspect of agriculture is keeping records, generating reports, and using
 data to make management decisions. Consider using one of the many electronic data collection
 and management systems available on the market. We recommend Stocket.us for a simple,
 inexpensive web/app platform.
- Provide shade and water! Cattle will need shade during the hot part of the day. Check water supply frequently as much as 20 gallons may be required by high producing cows in very hot weather.
- Select pastures for stockpiling. Remove cattle and apply nitrogen when moisture conditions are favorable. Stockpiled fescue can be especially beneficial for fall-calving cows after calving. Reproductive rates are highest in fall-calving cows grazing stockpiled fescue.
- Avoid working cattle when temperatures are extremely high especially those grazing highendophyte fescue. If cattle must be handled, do so in the early morning.
- Do not give up on fly control in late summer, especially if fly numbers are greater than about 50 flies per animal. You can use a different "type" of spray or pour-on to kill any resistant flies at the end of fly season.
- Keep a good mineral mix available at all times. The UK Beef IRM Basic Cow-Calf mineral is a
 good choice.

Response of Pasture Weeds to Herbicides and Mowing

Weed Species	Life Cyde1	Preferred Time for Herbicide Treatment ²	2,4-D (various products)	dicamba (Clarity, etc.)	dicamba+ 2,4-D (Weedmaster etc.)	Crossbow	PastureGard	DuraCor	GrazonNext	Chaparral ³	metsulfuron ³ (MSM60, Patriot, etc.)	Sharpen	MOWING4
Amaranth, Spiny (Pigweed)	Α	May-July	F/G	F/G	G	G	F/G	G	G	G	G	-	Χ
Aster spp. (White Heath Aster)	Α	July-Sept	F/G	G	G	G	-	-	-	-	F	Р	R
Burdock, Common	В	Feb-Mar	G	F	G	G	G	G	G	G	F	P	R
Buttercup spp.	Α	Feb-Mar	G	F/G	G	G	F	G	G	G	G	P/F	Χ
Carrot, Wild (Queen Anne's Lace)	В	May-June	F/G	F/G	F/G	F/G	F	G	G	G	G	Р	R
Chickweed, Common	Α	Nov or Feb-Mar	Р	F/G	G	F	G	G	G	G	G	P/F	Χ
Chicory	Р	Feb-Mar or Aug-Nov	F/G	F/G	G	G	G	G	G	G	F/G	Р	R
Clover, White	Р	May-Aug	F	G	G	G	G	G	G	G	G	Р	Х
Cocklebur, Common	Α	May-July	G	G	G	G	G	G	G	G	G	G	R
Dandelion	Р	Oct-Nov or Mar-Apr	G	G	G	G	F/G	G	G	G	G	Р	Х
Deadnettle, Purple	Α	Feb-Mar	P	F/G	G	F	G	G	G	G	G	-	Х
Dock, Curly or Broadleaf	Р	Feb-Apr	P/F	F	F/G	G	F/G	G	G	G	G	Р	Χ
Dogbane, Hemp	Р	May-Aug	P/F	F	F	G	G	P/F	P/F	P/F	P	Р	S
Garlic, Wild	Р	Nov or Mar-Apr	F	F	F	F	Р	F	F	F/G	G	Р	Χ
Goldenrod spp.	Р	June-Aug	F	F/G	F/G	G	F	F	F/G	F/G	Р	Р	S
Hemlock, Poison	В	Nov or Mar-Apr	F/G	F/G	F/G	F/G	Р	F/G	F/G	1	F	Р	R
Henbit	Α	Feb-Mar	Р	F/G	G	F	F/G	G	G	G	G	-	Χ
Horsenettle	Р	July-Aug	Р	P/F	F	F	P/F	G	G	F/G	F	Р	Χ
Ironweed, Tall	Р	June-Aug	Р	F	F	G	G	G	G	G	Р	Р	S
Jimsonweed	Α	May-July	F	G	G	G	-	G	G	G	-	-	R
Lespedeza, Sericea	Р	June-July	Р	P/F	P/F	G	G	P/F	P/F	F/G	F/G	Р	Χ
Marshelder (Sumpweed)	Α	May-July	F/G	F/G	G	G	F	G	G	G	F	-	R
Milkweed, Common	Р	July-Sept	Р	F	P/F	F	P/F	P/F	P/F	P/F	Р	Ь	S
Mint, Perilla	Α	May-July	F	F	F/G	G	F/G	G	G	G	-	-	S
Multiflora Rose	Р	Apr-June or Sept	Р	Р	F	G	O	F	F	F/G	G	Р	Χ
Passionflower, Maypop	Р	May-July	Р	Р	P	P/F	F	Р	Р	Р	-	Р	Х
Plantain, Broadleaf or Buckhorn	Р	Oct-Nov or Mar-Apr	F/G	F	F/G	G	F	G	F/G	F/G	F/G	Р	Х
Pokeweed, Common	Р	May-July	F	F/G	F/G	F/G	Р	F/G	F/G	F	P	Р	S
Ragweed, Common	Α	May-July	F/G	G	G	G	G	G	G	G	Р	G	R
Ragweed, Lanceleaf	Α	May-July	F/G	G	G	G	-	G	G	-	P	-	R
Sida, Arrowleaf	Α	May-July	P	Р	Р	-	-	F	F	F	-	-	R
Sneezeweed, Bitter	Α	May-July	F/G	F/G	G	G	G	G	G	G	-	-	R
Sorrel, Red (Sheep Sorrel)	Р	Sept-Nov or Mar	Р	F	F/G	F/G	F	-	-	F/G	F/G	Р	Х
Spurge, Nodding	Α	June-July	P	Р	Р	P/F	-	P/F	P/F	G	G	-	R
Thistle, Bull	В	Oct-Nov or Feb-Mar	G	G	G	G	F/G	G	G	G	F/G	Р	R
Thistle, Canada	Р	Prebud or Oct-Nov	Р	P/F	F	F	P/F	G	G	G	F	р	S
Thistle, Musk	В	Oct-Nov or Feb-Mar	G	G	G	G	F/G	G	G	G	F/G	Р	R
Thistle, Plumeless	В	Oct-Nov or Feb-Mar	G	G	G	G	F/G	G	G	G	F/G	Р	R
Tickclover (Desmodium spp.)	Р	June-Aug	Р	-	F	F/G	F/G	F/G	F/G	-	-	Р	R
Trumpetcreeper	Р	Aug-Sept	Р	Р	P/F	F	F	Р	Р	-	Р	Р	Χ

Control: $\mathbf{G} = \text{Good or Excellent}$; $\mathbf{F} = \text{Fair (suppression or partial control)}$; $\mathbf{P} = \text{Poor}$; $\mathbf{-} = \text{No Information}$

Note: This table should be used only as a guide for comparing the relative effectiveness of herbicides to a particular weed. The herbicide may perform better or worse than indicated in the table depending on the species, weed size, time of application, and/or extreme weather conditions. Consult herbicide label for weed height or growth stage and product amount. Read and follow all label directions and precautions before herbicide application.

Adapted from Weed Management in Grass Pastures, Hayfields, and Other Farmstead Sites (AGR-172; revised 3-2021). Available at http://ww2.ca.uky.edu/agcomm/pubs/agr/agr172/agr172.pdf.

Listing of pesticide products implies no endorsement by the University of Kentucky or its representatives. Criticism of products not listed is neither implied nor intended.

Educational programs of Kentucky Cooperative Extension serve all people regardless of economic or social status and will not discriminate on the basis of race, color, ethnic origin, national origin, or each, religion, political belief, sex, sexual orientation, gender identity, gender expression, pregnancy, marital status, genetic information, ago, when compared identity is presented in the ance of Cooperative Extension work, Acts of May and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Nancy M. Cox, Director of Cooperative Extension Programs. University of Kentucky College of Agriculture, Pood and Environment, Lexington, and Kentucky State University, Frankfort. Copyright 0.2021 for materials developed by University of Kentucky Cooperative Extension. This publication may be reproduced in portions or its entirety for educational or nonprofit purposes only. Permitted users shall give a edit to the author(s) and include this copyright notice. Publications are also available on the World Wide Web at www.caukyedu.


Revised 3-2021

¹ Life Cycle: \mathbf{A} = Annuals; \mathbf{P} = Perennials; \mathbf{B} = Biennials

² The preferred time for herbicide treatment will depend on environmental conditions and other factors.

³ May cause temporary yellowing, stunting and seedhead suppression of tall fescue (consult label). Metsulfuron is an active ingredient in several products (e.g. Chaparral, MSM60, Patriot, Purestand).

 $^{^4}$ Mowing: $\mathbf{R} = \text{Timely mowing reduces top growth and seed production}$; $\mathbf{S} = \text{Suppression of top growth}$; $\mathbf{X} = \text{Not very effective}$



New World Screwworm (NWS)

New World screwworm (*NWS*, *Cochliomyia hominivorax*) is a devastating pest. When NWS fly larvae (maggots) burrow into the flesh of a living animal, they cause serious, often deadly damage to the animal. NWS can infest livestock, pets, wildlife, occasionally birds, and in rare cases, people.



SYMPTOMS

- Behavioral Changes: Animals may appear depressed, stop eating, and isolate themselves.
- Wound Characteristics: Look for enlarging, foul-smelling wounds.
- Eggs and Maggots: Look for eggs near the wound and maggots. (NWS resembles common blowflies, requiring careful inspection).

CONTROL STRATEGIES:

- Veterinarian/Caretaker Action: Wound examination, treatment (quarantine), and animal movement restrictions.
- Sterile Fly Release: Lab-raised, sterilized male NWS flies are released to mate with females, making eggs unhatchable.



For more information, contact your local county extension office. If you suspect NWS, contact a USDA veterinarian or the Kentucky state veterinarian for identification assistance.

Source: USDA APHIS An Equal Opportunity Organization.

UPCOMING PROGRAMS



- September 3 10-11:30 AM
- September 11 5-6:30 PM
- September 30 10-11:30 AM

Please bring \$5 IF you wish to purchase a farm sign

REGISTER HERE



Cooperative Extension Service

Agriculture and Natural Resources Family and Consumer Sciences 4-H Youth Development

MARTIN-GATTON COLLEGE OF AGRICULTURE, FOOD AND ENVIRONMENT

Educational programs of Kentucky Cooperative Extension serve all people regardless of economic or social status and will not discriminate on the basis of race, color, eithnic origin, national origin, creed, religion, political belief, sexsexual orientation, gender identity, gender expression, pregnancy, martin status, genetic information, age, evteran status, physical or mental disability or reprisal or restalation for prior civil rights activity. Reasonable accommodation of disability may be available with prior notice. Program information may be made available in languages other than English. University of Kentucky, Kentucky State University, U.S. Department of Agriculture, and Kentucky Counties, Cooperating.









FARM SCHOOL FOR WOMEN

4 THURSDAYS IN OCTOBER

MEAL WILL BEGIN AT 5:30PM 6:00PM

FLEMING CO. EXTENSION OFFICE

1384 ELIZAVILLE RD, FLEMINGSBURG

CALL YOUR LOCAL EXTENSION OFFICE TO **REGISTER BY 9/26/2025**

-BRACKEN: (606) 735-2141 -FLEMING: (606) 845-4641 -LEWIS: (606) 796-2732 -MASON: (606) 564-6808 -ROBERTSON: (606) 724-5796

OCTOBER 2 PLUMBING BASICS

OCTOBER 9

PLANT DISEASES 2.0

OCTOBER 16 BACKYARD POULTRY

OCTOBER 23

CONTAINER GARDENING

OR REGISTER USING THE QR CODE



Cooperative **Extension Service**

MARTIN-GATTON COLLEGE OF AGRICULTURE, FOOD AND ENVIRONMENT







- 1/8/26: GENETICS (AT MASON COUNTY)
- 1/15/26: MARKETING & PROFITABILITY (AT BRACKEN)
- 1/22/26: HERD HEALTH (AT FLEMING COUNTY)
- 1/29/26: NUTRITION (AT MASON COUNTY)
- 2/5/26: REPRODUCTION & RECORDS (AT LEWIS CO.)
- 2/12/26: FACILITIES & WINTER FEEDING (AT ROBERTSON)



CALL TO REGISTER OR USE QR CODE:

- BRACKEN COUNTY: (606) 735-2141
- FLEMING COUNTY: (606) 845-4641
- LEWIS COUNTY: (606) 796-2732
- MASON COUNTY: (606) 564-6808
- ROBERTSON CO.: (606) 724-5796

\$100 per \$125 per

REGISTRATION REQUIRED BY: 12/1/25

Cooperative Extension Service

MARTIN-GATTON COLLEGE OF AGRICULTURE, FOOD AND EN



GERMANTOWN FAIR SCHEDULE

Monday, August 4, 20	25 Admission \$	<u> 10.00</u>
Carnival Rides Open		6:00 pm
Mechanical Bull		6:00 pm
Market Sheep & Goat	Show Show Barn	6:00 pm
Kids Power Wheels	Back Track	7:15 pm
Demolition Derby	Back Track	7:30 pm

Miss Germantown Fair Pavilion 7:30 pm
Pen the Pig Center Ring 8:15 pm

Center Ring

7:30 pm

Tuesday, August 5, 2025 Admission \$10.00

Chicken Rodeo

Floral Hall Entries	Exhibit Hall	8:00 am - 2:45 pm
Mechanical Bull		6:00 pm
Carnival Rides Open		6:00 pm
Market Swine Show	Show Barn	6:00 pm
Remote Control Activi	ities Center Ring	7:00 pm
Kids Power Wheels De	erby Back Track	7:15 pm
Demolition Derby	Back Track	7:30 pm
Miss Teen	Pavilion	7:30 pm

Wednesday, August 6, 2025 Admission \$10.00

Carnival Rides Oper	6:00 pm		
Market Beef Show 8	Show Barn	5 :00 pm	
Mechanical Bull			6:00 pm
KOI Drags	Back Track		7:00 pm
Garden Tractor Pull	Back Trac	k	7:00 pm
Fun Horse Show	Center Ring		7:00 pm
Little Miss & Mister	& Pre-Teen	Pavilion	7:30 pm

GERMANTOWN FAIR SCHEDULE

Thursday, August 7, 2025	Admission \$	<u>10.00</u>	
Sensory Day Center Ring	10:00 -	11:30 am	
Carnival Rides Open		6:00 pm	
Mechanical Bull		6:00 pm	
Micro Mini Tractor & Truck Pul	ll Show Barn	6:00 pm	
Contest Show	Center Ring	7:00 pm	
Barrel Racing & Pole Bend	ding		
Baby Show, Baby Miss & Miste	r, Pavilion	7:30 pm	
Tiny Miss & Miste	r		
Battle of the Bluegrass E	Back Track	7:30 pm	
Friday, August 8, 2025	Admission \$	<u> 15.00</u>	
Carnival Rides Open		6:00 pm	
Mechanical Bull	6:00 pm		
Corn Hole Tournament Kids -	-5:00 pm Adult	6:00 pm	
Pedal Power Tractor Pull Cen	ter Ring Area	6:30 pm	
Ranch Rodeo Contest C	7:00 pm		
Battle of the Bluegrass E	7:30 pm		
Band: Flashback Pavilion		8:00 pm	
Saturday, August 9, 2025	Admission \$	<u> 15.00</u>	
Floral Hall Pick-Up Exhibit Ha	all 9:00	am – Noon	
Cruise-In	9:00	am - Noon	
Mechanical Bull		6:00 pm	
Carnival Rides Open		6:00 pm	
Saddlebred & Roadster Horse	Show	7:00 pm	
Mud Sling Back Track		7:30 pm	
Band: ReBoot Pavilion		8:00 pm	

LIA SHOW & SALE 2025



MASON COUNTY AGRICULTURE AND NATURAL RESOURCES

LIA SHOW & SALE 2025



MASON COUNTY AGRICULTURE AND NATURAL RESOURCES



Summertime Sensation Casserole

4 strips turkey bacon

3 cup minced onion

3 tablespeeps disad

3 tablespoons diced green pepper

4 ears fresh sweet corn

½ teaspoon salt **⅓ teaspoon** black

1 teaspoon dried sweet basil

pepper

2 cups tomatoes, chopped

's cup reduced fat shredded cheddar cheese

 In a large skillet, cook turkey bacon until crisp.

 Drain turkey bacon on paper towel, chop and put aside. Do not drain pan. Cook onion and green pepper in bacon drippings over medium heat until tender.

 Cut corn from cob and add to onion and green pepper mixture in skillet. Add salt, black pepper, basil and tomatoes. Cook 5-10 minutes. Add

cook 5-10 minutes. Add chopped turkey bacon and cook an additional minute.

- Pour skillet contents into a greased 1-1/2 quart casserole dish.
- Top with shredded cheddar cheese.

6. Bake at 350°F for 30 minutes, or until cheese is melted and bubbling.

Yield: 5, 1/2 cup servings.

Nutrition Analysis: 160 calories, 7 g fat, 2.5 g sat.fat, 25 mg cholesterol, 680 mg sodium, 19 g carbohydrate, 3 g fiber, 7 g sugar, 8 g protein.



Buying Kentucky Proud is easy. Look for the label at your grocery store, farmers' market, or roadside stand.

Kentucky Sweet Corn

SEASON: July to August

NUTRITION FACTS: Corn is low in fat and is a good source of fiber and B vitamins, with 90 calories in a one-half cup serving.

SELECTION: Look for ears with green shucks, moist stems and silk ends that are free of decay. Kernels should be small, tender, plump and milky when pierced. They should fill up all the spaces in the rows.

STORAGE: Keep unshucked, fresh corn in the refrigerator until ready to use. Wrap ears in damp paper towels and placed in a plastic bag for 4 to 6 days.

PREPARATION: To microwave: Place ears of corn, still in the husk, in a single layer, in the microwave. Cook on high for 2 minutes for 1 ear, adding 1 minute per each additional ear. Turn the ears after 1 minute. Let corn set for several minutes before removing the shucks and silks.

Source: www.fruitsandveggiesmatter.gov

To boil: Remove shucks and silks. Trim stem ends. Carefully place ears in a large pot of boiling water. Cook 2 to 4 minutes or until kernels are tender.

To grill: Turn back the shucks and remove silks. Sprinkle each ear with 2 tablespoons of water and nonfat seasoning such as salt, pepper or herbs. Replace shucks and tie them shut with a string that has been soaked in water. Place ears on a hot grill for 20 to 30 minutes, turning often.

SWEET CORN

Plate It Up! Kentucky Proud Project

and Food Science students

County Extension Agents for Family and Consumer Sciences
University of Kentucky, Nutrition

June 2012

Educational programs of Kentucky Cooperative Extension serve all people regardless of race, color, age, sex, religion, disability, or national origin. For more information, contact your county's Extension agent for Family and Consumer Sciences or visit www.ca.uky.edu/fcs. COOPERATIVE EXTENSION SERVICE



IMPORTANT DATES

Sep 1	Labor Day Office Closed
Sep 1	Deadline to sign up for Hay contest!
Sep 3	BQCA 10:00 Mason County Extension Office

BQCA | 5:00 | Mason County Extension Office

BQCA | 10:00 | Mason County Extension Office

Barnyard Theater | 4:00 | Straub Elementary

Pregnancy Testing Program | 6:00 PM | 7580 Taylor Mill Rd Maysville, KY

2025 Intermediate Grazing School | 7:30-4 | Woodford County Extension Office

Farm School For Women-Plumbing | 6:00 | Mason Co Extension Office

Farm School For Women-Poultry | 6:00 | Mason Co Extension Office

CAIP Education Eligible

Farm School For Women-Plant Diseases | 6:00 | Mason Co Extension Office

Farm School For Women- Container Gardening| 6:00 | Mason Co Extension Office 🗸

Mason Co Cattlemen's Meeting | 6:00 | Mason Co Extension Office

Germantown Fair

KY State Fair | Louisville, KY

Aug 4-9

Aug 14-24

Aug 28

Sep 9

Sep 11

Sep 24

Sep 30

October 2

October 9

October 16

October 23

November 7



University of Kentucky College of Agriculture, Food and Environment

Mason County

800 US HWY 68 Maysville, KY 41056

Return Service

Requested

Presorted Standard

US Postage Paid Maysville, KY Permit 10